8. REFERENCES

[1] I. Boldea, L. N. Tutelea, L. Parsa and D. Dorrell, “Automotive electric propulsion systems

[12] Z. Chen, M. Tomita, S. Ichikawa, S. Doki and S. Okuma, “Sensorless control of interior permanent magnet synchronous motor by estimation of an extended electromotive force,” in Conf. Rec. IEEE IAS Conference, vol. 3, pp. 1814-1819, 2000.

[13] N. Matsui and M. Shigyo, “Brushless DC motor control without position and speed sensors,” IEEE Transactions on Industry Applications, vol. 28, no. 1, pp. 120-127,

[23] S. C. Agarlita, I. Boldea and F. Blaabjerg, “High-frequency-injection assisted ‘active flux’-

[34] E. Robeischl and M. Schroedl, “Optimized INFORM measurement sequence for sensorless pm synchronous motor drives with respect to minimum current distortion,” IEEE Transactions on Industry Applications, vol. 40, no. 2, pp. 92-98, March/April 2004.

[35] E. Robeischl, M. Schroedl and K. Salutt, “Improved INFORM-measurement sequence and evaluation for sensorless permanent magnet synchronous motor drives,” presented at the 10th Int. Power Electronics and Motion Control Conference, Cavtat and Dubrovnik, Croatia, pp. 339-346, September 9–11, 2002.

[36] A. Consoli, G. Scarcella and A. Testa, “Industry application of zero-speed sensorless control techniques for PM synchronous motors,” IEEE Transactions on Industry Applications, vol. 37, pp. 513-521, March/April 2001.

[37] N. Teske, “Sensorless position control of induction machines using high frequency signal injection,” Ph.D. Dissertation, University of Nottingham, 2001.

[38] E. Capecchi, P. Guglielmo, M. Pastorelli and A. Vagati, “ Position sensorless control of the transverse-laminated synchronous reluctance motor,” IEEE Transactions on Industry Applications, vol. 37, no. 6, pp. 1768–1776, November/December 2001.

[39] P. L. Jansen and R. D. Lorenz, “Transducerless field orientation concepts employing saturation-induced saliencies in induction machines,” in Conf. Rec. IEEE-IAS Annual Meeting, 1995, pp. 174–181.

[40] P. L. Jansen, M. Corley and R. D. Lorenz, “Flux, position and velocity estimation in AC machines at zero speed via tracking of high frequency saliencies,” in Proc. EPE’95, pp. 154–160, 1995.

[41] M. J. Corley and R. D. Lorenz, “Rotor position and velocity estimation for a salient-pole permanent magnet synchronous machine at standstill and high speeds,” IEEE Transaction on Industry Applications, vol. 34, no. 4, pp. 784-779, July/August 1998.

[42] N. Bianchi, S. Bolognani and M. Zigliotto, “Design hints of an IPM synchronous motor for an effective position sensorless control,” in Proc. IEEE PESC, Recife, Brazil, pp. 1560–1566, June 12-16, 2005.

[43] N. Bianchi and S. Bolognani, “Influence of rotor geometry of an interior PM motor on sensorless control feasibility,” in Conf. Rec. 40th IEEE IAS Annual Meeting, Hong Kong, vol. 4, pp. 2553-2560, October 2-6, 2005.

[44] M. Guglielmi and A. Pastorelli, “Cross-saturation effects in IPM motors and related impact on sensorless control,” IEEE Transaction on Industry Application, vol. 42, no. 6, pp. 1516–1522, November/December 2006.

[45] A. Vagati, M. Pastorelli and G. Franceschini, “Effect of cross-coupling in synchronous reluctance motors,” in Proc. Intell. Motion Conf., 1997, pp. 279–285.

[46] A. Vagati, M. Pastorelli, G. Franceschini and F. Scapino, “Impact of cross saturation in synchronous reluctance motors of transverse laminated type,” IEEE Transaction on Industry Application, vol. 36, no. 4, pp. 1039–1046, July/August 2000.

[47] M. Harke, H. Kim and R. Lorenz, “Sensorless control of interior permanent magnet machine drives for zero-phase-lag position estimation,” IEEE Transaction on Industry Application, vol. 39, no. 6, pp. 1726–1733, November/December 2003.

[48] M. Linke, R. Kennel and J. Holtz, “Sensorless speed and position control of synchronous machines using alternating carrier injection,” in Proc. IEMDC, Madison, WI, USA, pp. 1211–1217, June 2–4, 2003.

[49] A. Consoli, G. Scarcella, G. Tutino and A. Testa, “Sensorless field oriented control using common mode currents,” in Conf. Rec. IEEE IAS Annual Meeting, Rome, Italy, vol. 3, pp. 1866–1873, October 8–12, 2000.

[50] F. Briz, M. Degner, A. Diez and R. Lorenz, “Measuring, modeling and decoupling of saturation-induced saliencies in carrier-signal injection based sensorless AC drives,” IEEE Transaction on Industry Application, vol. 37, no. 5, pp. 1356–1364, September/October 2001.

[51] P. Sergeant, F. De Belie and J. Melkebeek, “Effect of rotor geometry and magnetic saturation in sensorless control of PM synchronous machines,” IEEE Transaction on Magnetics, vol. 45, no. 3, pp. 1756–1759, March 2009.

[52] N. Bianchi, E. Fornasiero and S. Bolognani, “Effect of stator and rotor saturation on sensorless rotor position detection,” IEEE Transaction on Industry Application, vol. 49, no. 3, pp. 1333-1342, May/June 2013.

[53] D. D. Reigosa, P. García, D. Raca, F. Briz and R. D. Lorenz, “Measurement and adaptive decoupling of cross-saturation effects and secondary saliencies in sensorless controlled ipm synchronous machines,” IEEE Transaction on Industry Application, vol. 44, no. 6, pp. 2399-2406, November/December 2008.

[54] J. H. Jang, J. I. Ha, M. Ohto, K. Ide and S.-K. Sul, “Analysis of permanent-magnet machine for sensorless control based on high frequency signal injection,” Transaction on Industry Application, vol. 40, no. 6, pp. 1595–1604, November/December 2004.

[55] N. Bianchi, S. Bolognani, J.-H. Jang and S.-K. Sul, “Advantab ÷ Advantab ÷

[68] D. Xiao and M. Fazlur Rahman,

[79] H. A. Toliyat, “Analysis of concentrated winding induction and reluctance machines for adjustable speed drive applications,” Ph.D Dissertation, University of Wisconsin-Madison, May 1991.

[80] T.A. Lipo “Analysis of Synchronous Machines, Second Edition,” 2012, CRC Press, 2012.

[81] X. Luo, Y. Liao, H. A. Toliyat, A. El-Antably and T. A. Lipo, “Multiple coupled circuit modeling of induction machines,” IEEE Transactions on Industrial Applications, vol. 31, no. 2, pp. 203-2010, November 1995.

[82] H. A. Toliyat and T. A. Lipo, “Transient analysis of cage induction machines under stator, rotor bar and end ring faults,” IEEE Transactions on Energy Conversion, vol. 10, no. 2, pp. 241-247, June 1995.

[83] A. Gautam “Modeling, Analysis and Performance of Variable Speed Nine-Phase Electric Drives,” MSc Thesis, Tennessee Technological University, December 2012.

[84] N. A. Al-Nuaim and H. A. Toliyat, “A Novel Method for Dynamic Air-Gap Eccentricity in Synchronous Machines Based on Modified Winding Function Theory,” IEEE Transactions on Energy Conversion, vol. 13, no. 2, pp. 156-162, June 1998.

[85] M. Barcaro, N. Bianchi and F. Magnussen, “ Analysis and tests of a dual three-phase 12-slot 10-pole permanent-magnet motor,” IEEE Transaction on Industry Applications, vol. 46, no. 6, pp. 2355-2362, November/December 2010.

[86] W. Xu, G. Sun, G. W.Z. Wu and P. K. Chu, “Equivalent circuit derivation an performance analysis of a single-sided linear induction motor based on the winding function theory,” IEEE Transactions on Vehicular Technology, vol. 61, no. 4, pp. 1515-1525, May 2012.

[87] A. Gautam, S. Karugaba and J. Ojo, “Modeling of 9-phase interior permanent magnet machines (IPM) including harmonic effects,” Electric Machines & Drives Conference (IEMDC), vol. 1 , no. 1 , pp. 681-686, 15-18, May 2011.

[88] A. Khalik, S. Ayman , M. I. Mahmoud and B. W. Barry, “Performance evaluation of eleven-phase induction machine using selective harmonic elimination,” in Conf. Rec. IEEE Power Engineering, pp. 1-6, May 2011.

[89] P. Sekerák, V. Hrabovcová, J. Pyrhönen, L. Kalamen, P. Rafajdus and M. Onufer “Comparison of synchronous motors with different permanent magnet and winding types,” IEEE Transaction on Magnetics, vol. 49, no. 3, pp. 1256-1263, March 2013.

[90] I. Tabatabaei, J. Faiz, H. Lesani and M. T. Nabavi-Razavi, “modeling and simulation of a salient-pole synchronous generator with dynamic eccentricity using modified winding function theory,” IEEE Transactions on Magnetics, vol. 40, no. 3, pp. 1550-1555, May 2004.

[91] J. Milimonfared, H. M. Kelk, A. Der Minassians, S. Nandi and H. A. Toliyat, “A novel approach for broken rotor bar detection in cage induction motors,” IEEE Transactions on Industrial Applications, vol. 35, pp. 1000-1006, September/October 1999.

[92] A. B. Dehkordi, P. Neti, A. M. Gole and T. L. Maguire, “Development and validation of a comprehensive synchronous machine model for a real-time environment,” IEEE Transaction on Energy Conversion, vol. 25, no. 1, pp. 34–48, March 2010.

[93] J. Y. Choi, S. H. Lee, K. J. Ko and S. M. Jang, “Improved analytical model for electromagnetic analysis of axial flux machines with double-sided permanent magnet rotor and coreless stator windings,” IEEE Transactions on Magnetics, vol. 47, no. 10, pp. 2760-2763, October 2011.

[94] J. Faiz and I. Tabatabaei, “Extension of winding function theory for nonuniform air-gap in electric machinery,” IEEE Transactions on Magnetics, vol. 38, no. 6, pp. 3654–3657, November 2002.

[95] H. M. Ryu, J. W. Kim and S. K. Sul, “Synchronous frame current control of multi-phase synchronous motor: Part I. Modelling and current control based on multiple d−q spaces concept under balanced condition,” in Conf. Rec. IEEE Industry Application Society. Annual Meeting, pp. 63-74, October 2004.

[96] A. Tessarolo, “accurate computation of multiphase synchronous machine inductances based on winding function theory,” IEEE Transaction on Energy Conversion, vol. 27, no. 4, pp. 859-904, December 2012.

[97] K. T. Kim, J. Park, J. Hur and B. W. Kim, “Comparison of the fault characteristics of ipm-type and spm-type bldc motors under inter-turn fault conditions using winding function theory,” IEEE Transactions on Industry Application, vol. 50, no. 2, pp. 986-994, March/April 2014.

[98] H. A. Toliyat and N. A Nuaim, “Simulation and detection of dynamic air-gap eccentricity in salient-

[112] T. Lubin, S. Mezani and A. Rezzoug,

[123] T. A. Lipo, “A d-q Model for Six Phase Induction Machines,” in Proc. Int. Electrical Machines Conf. ICEM, pp. 860–867, March 1980.

[124] R. Semken, M. Polikarpova, P. Roytta, J. Alexandrova, J. Pyrhonen, J. Nerg, A. Mikkola and J. Backman, “Direct-drive permanent magnet generators for high-power wind turbines: Benefits and limiting factors,” IET Renewable Power Generation, vol. 6, no. 1, pp. 1–8, Januery 2012.

[125] J. Sauter and A. Mirzaian, “Encoderless control of a 6 MW permanent magnet synchronous generator,” in Proc. 15th Eur. Conf. Power Electronic Application, pp. 1–10, September 2013.

[126] E. Prieto-Araujo, A. Junyent-Ferre, D. Lavernia and O. Gomis-Bellmunt, “Distributed control of a nine phase permanent magnet generator and scaled platform validation,” in Proc. Eur. Wind Energy Association, pp. 2082-2088, March 2014.

[127] V. F. M. B. Melo, C. B. Jacobina, E. R. Braga-Filho, R. M. Cavalcanti, I. S. de Freitas, R. S. Macena and G. A. de A Carlos, “AC-DC-AC nine-phase machine drive system based on H-bridges and three-leg converters,” IECON - 40th Annual Conference on IEEE Industrial Electronics Society, pp. 378 – 384, November 2014.

[128] E. P. Araujo, A. A. Junyent-Ferr´e, D. Lav`ernia-Ferrer and O. Gomis-Bellmunt, “Decentralized Control of a Nine-Phase Permanent Magnet Generator for Offshore Wind Turbines,” IEEE Transactions on Energy Conversion, vol. 30, no. 3, pp. 1103-1112, September 2015.

[129] F. Li, W. Hua, M. Cheng and G. Zhang, “Analysis of Fault Tolerant Control for a Nine-Phase Flux-Switching Permanent Magnet Machine,” IEEE Transactions on Magnetics, vol. 50, no. 11, pp. 506-611, November 2014.

[130] W. Cao, B. Mecrow, G. Atkinson, J. Bennett and D. Atkinson, “Overviewof electric motor technologies used for More Electric Aircraft (MEA),” IEEE Transactions on Industrial Electronnics, vol. 59, no. 9, pp. 3523–3531, September 2012.

[131] L. Parsa and H. Toliyat, “Fault-tolerant interior-permanent magnet machinesfor hybrid electric vehicle applications,” IEEE Transactions on Vehicular Technolgy, vol. 56, no. 4, pp. 1546–1552, July 2007.

[132] X. Chen, J. Wang and V. I. Patel, “A Generic Approach to Reduction of Magnetomotive Force Harmonics in Permanent-Magnet Machines With Concentrated Multiple Three-Phase Windings,” IEEE Transactions on Magnetics, vol. 50, no. 11, pp. 201-208, November 2014.

[133] R. Bojoi, A. Tenconi, G. Griva and F. Profumo, “Vector control of dual three phase induction-motor drives using two current sensors,” IEEE Transactions on Industrial Applications, vol. 42, no. 5, pp. 1284–1292, September/October 2006.

[145] A. Tessarolo, “Analysis of split-phase electric machines with unequally-loaded stator windings and distorted phase currents,” in Proc. XIX Int. Electrical Machines Conf. ICEM, pp. 1–7, Rome, Italy, July 2010.

[156] M. Mengoni, L. Zarri, A. Tani, L. Parsa, G. Serra and D. Casadei, " High-Torque density control of multiphase induction motor drives operating over a wide speed range," IEEE Transactions on Industrial Electronics, vol. 62 , no. 2, pp. 814 – 825, July 2014.

[157] L. Guo and L. Parsa, " model reference adaptive control of five-phase ipm motors based on neural network," IEEE Transactions on Industrial Electronics, vol. 59, no. 3, pp. 150-155, March 2012.

[168] O. Ojo, “The generalized Discontinuous PWM Scheme for Three-Phase voltage source Inverters,” IEEE Transactions on Industrial Electronics, vol.